

loc 14 'go I 49.89:82/47-1/map C1

MMS 85-0011
FWS/OBS-82/47.1

MAP C1

Bay Minette

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS





:GINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:
A. BIOLOGICAL RESOURCES
B. SOCIOECONOMIC FEATURES
C. SOILS AND LANDFORMS
D. OIL, GAS AND MINERALS
E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
25,000-foot grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1983 from



Produced by U.S. Fish and Wildlife
Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal
Transverse Mercator
10,000-foot grid ticks based on Florida coordinate
system, west zone

Overlay material compiled in 1983 from
latest available data obtained from
Federal, State and Local government
agencies and other sources.

MAJOR SURFACE LANDFORMS

Western Highlands	Fountain Slope
Escambia Valley	Grand Ridge
Gulf Coastal Lowlands	Northern Highlands
Gulf Barrier Chain	Coastal Swamps
Marianna Lowlands	Bronkovitz Ridge
New Hope Ridge	Western Valley
Greenhead Slope	

SOIL ASSOCIATIONS

1. Lakeland-Eunola-Lakewood Association
2. Lakeland, Ruston, and Norfolk Sunwood, Carnegie and Cuthbert Association
3. Troup-Orangeburg Association
4. Tifton-Dothan-Fuquay-Faceville Association
5. Norfolk-Ruston-Savannah Association
6. Tifton-Irvington-Lynchburg Association
7. Klej-Leon Association
8. Leon-Plummer-Bonneau Association
9. Coastal Dune Land, and Beach-Tidal Marsh Association
10. Plummer-Rutlege-Alluvial Land-Fresh Water Swamp Division-Pamlico Association
11. Lakeland-Pansy-Kureb-St. Lucie-Ronon Association
12. Troup-Orangeburg Association
13. Troup-Orangeburg Association
14. Dothan-Orangeburg Association
15. Red Bay-Lucy Association
16. Chipley-Scranton Association
17. Leon-Plummer Association
18. Salt Water Marsh-Beach-Dredge Association


MOBILE
BAY
ESCAMBIA
VALLEY
GULF COASTAL
LOWLANDS
GULF COASTAL
LOWLANDS
MOBILE CO
BALDWIN CO
Fairhope
Daphne
Spanish Fort
Foley
Robertsdale
Loxley
Elberta
Gulf Shores
Orange Beach
Perdido Beach
Josephine
Bon Secour
Magnolia Springs
Silverhill
Stapleton
Summerdale
Barrineau Park
Jackson Lake
Wolf Bay
Weeks Bay
Fish River
Magnolia River
Perdido Bay
Perdido River
Bayou Marcus
Bayou Canot
Bayou Chico
Bayou Grande
Escambia Bay
Escambia River
Big Escambia Creek
Little Escambia Creek
Blackwater River
Blackwater Bay
Pensacola Bay
Pensacola
Warrington
Gulf Breeze
Milton
Bagdad
Navarre
Navarre Beach
Pace
Holley
Whiting Field
Whiting Field Annex
Whiting Field Outlying Field
Barrancas
Saufley Field
Corry Field
Chumuckla
Jay
Bratt
Munson
Molino
Century
Flomaton
Brewton
Atmore
Bratt
Walnut Hill
Huxford
Canoe
Wallace
Bellview
Ensley
Cantonment
Myrtle Grove
Gonzalez
Ferry Pass
Brent
Oriole Beach
Old Schoolhouse Beach
U.S. 98
U.S. 90
U.S. 29
U.S. 31
U.S. 84
U.S. 90 Alt
U.S. 98 Alt
U.S. 29 Alt
U.S. 31 Alt
U.S. 84 Alt



THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE FOR ESCAMBIA, SANTA ROSA, OKALOOSA, WALTON, BAY, HOLMES, WASHINGTON, JACKSON, CALHOUN, GULF, FRANKLIN, GADSDEN, LIBERTY, WAKULLA, LEON, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS AND HERNANDO, AND EXTENDS SOUTHWARD TO THE 3-MILE LIMIT OF STATE WATERS. THE DELINEATION OR PRODUCTS OF THIS STUDY TO DEFINE THE LIMITS OF PROPRIETARY JURISDICTION OF ANY FEDERAL, STATE, OR LOCAL GOVERNMENT TO ESTABLISH OWNERSHIP, OR TO EXPAND THE SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS WHICH MAY CONTAIN INACCURACIES. REVIEW OF THIS MAP AND RELATED SOURCE MATERIALS WILL BE A NECESSARY PART OF REGULATION AND OTHER DECISION MAKING FEATURES. THE USER SHOULD NOT RELY ON THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LANDFORMS: Photographic Map of Florida, State Bureau of Geology, 1982.

SOILS: General Soils Atlas of Florida, Soil Conservation Service, USDA, General Soils Map of Florida, U.S. Department of Agriculture, 1981.

ACTIVE DUNES: Beach and Dune Aerial Photographs, 1:40,000 Scale, Gulf Coast Aerial Surveys Inc., 1980. Coastal Mapping Study, 1980 Scale, U.S. Geological Survey, vertical aerial.

GEOLOGIC FAULTS: Map of Seismites and Some Near Counties Showing Contours on top of the Lower Limestone of the Florida Aquifer, State Bureau of Geology, 1985.

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

1. Lakeland-Eustis-Lakewood Association: Nearly level to gently sloping, excessively drained soils, sandy throughout.
2. Lakeland, Ruston, and Norfolk-Sunsweet, Carnegie and Sunsweet Variant Associations: Nearly level to gently sloping soils, sandy throughout, well drained, loamy soils with loamy or clayey subsoils, and moderately well drained loamy soils with clayey subsoils.
3. Red Bay-Blakely Association: Nearly level to gently sloping, well drained loamy soils with loamy subsoils.
4. Tifton-Carnegie-Faceville Association: Nearly level to gently sloping, well drained, loamy soils with clayey or loamy subsoils.
5. Norfolk-Ruston-Dunewood Association: Nearly level to gently sloping, well drained or moderately well drained, loamy soils with loamy subsoils.
6. Tifton-Irvington-Lynchburg Association: Nearly level to gently sloping, well drained to somewhat poorly drained, loamy soils with clayey or loamy subsoils.
7. Hurtsboro-Kalmia-Isagora Association: Nearly level, well drained soils, sandy throughout and moderately well drained, loamy soils with loamy or clayey subsoils, on river terraces.
8. Plummer-Rutlege-Allanrad Land-Fresh Water Swamp-Dorovan-Pamlico Association: Nearly level, poorly drained soils with a thick surface layer overlaying a loamy or clayey subsoil or very poorly drained soils that are sandy throughout.
9. Lakeland-Troup Association: Nearly level to steep, excessively drained soils, sandy throughout, and well drained soils with very thick sands loams over loamy subsoil.
10. Troup-Orangeburg Association: Highly dissected nearly level to steep, well drained, sandy soils with loamy subsoils.
11. Dothan-Orangeburg Association: Nearly level to sloping, well drained, loamy soils with loamy subsoils.
12. Red Bay-Lucy Association: Nearly level to sloping, well drained, loamy and sandy soils with loamy subsoils.
13. Chipley-Dorovan Association: Nearly level to gently sloping, moderately wells to somewhat poorly drained sandy soils.
14. Johns-Leaf Association: Nearly level, somewhat poorly to poorly drained, sandy soils with loamy subsoils on river terraces.
15. Salt Water Marsh-Swan Orange Association: Nearly level, very poorly drained soils subject to frequent flooding by tidal waters.

E ft/yr — BEACH EROSION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

A ft/yr — BEACH ACCRETION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U / D — NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

U / D — SUB-SURFACE NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

STUDY AREA BOUNDARY

Offshore

Inland (County)

Inland (State)

1. Jonesville-Chiefland-Archer Association
2. Arredondo-Gainesville Association
3. Fernandina-Archer-Chiefland Association
4. Kendrick-Lucy-Red Bay Association
5. Adamsville-Dorer Association
6. Bushnell-Wildwood-Felda Association
7. Sinclair-Farmington-Sarasota Association
8. Leon-Wakulla-Plummer Association
9. Lake-Myakka-Pomello Association
10. Candler-Pasco-Tavares Association
11. Candler-Adamsville-Pompano Association
12. Immokalee-Myakka Association
13. Brevard-Bora Association
14. Parrandfern-Bushnell Association
15. Wesconn-Basinger Association
16. Waggaman-Basinger Association
17. Lake-Tavares-Apopka Association
18. Arredondo-Sparr-Kendrick Association
19. Candler-Lake Association
20. Wauseon Association
21. Natchez-Bichton-Farmington Association
22. Bichton-Farmington-Sarasota Association
23. Paulsen-Vaucluse-Wekiwa Association
24. Okeelanta-Anpeka-Terra Ceia Association
25. Homosassa-Weekiwachee-Lauderhill Association
26. Floridana-Basinger Association
27. Pineda-Malabar-Winder Association
28. Fresh Water Swamp and Marsh Association
29. Bichton-Lochloosa-Kendrick Association
30. Wesconn-Bushnell Association
31. Myakka-Pomello Association

MAP PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE